



Specification

Seating Capacity.....	2 Person
Dimensions.....	174" X 93" X 53" / (442 cm X 236 cm X 134 cm)
Useable Swim Area Dimensions.....	117" or 297 cm
Dry Weight.....	2,280 lbs / 1034 kg
Filled Weight (Spa Volume)	18,193 lbs / 8,254 kg
Water Capacity (Spa Volume)	1,900 US gallons / 7,220 L
Electronic Controls.....	IN-K1000 SS Keypad
Pump 1.....	North America (60 Hz): 2- Speed, 3 HP, AMPs 10.0/3.5 Europe (50 Hz): 2- Speed, 2.5 HP, AMPs 8.6/2.8
Pump 2.....	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7
Pump 3.....	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7
Total Seat Jets.....	21
Seat A Jets.....	(2)-6020073; (4)-6020074; (2)-6020075; (2)-6020076
Seat B Jets.....	(2)-6020073; (2)-6020076; (2)-6035075
Footwell	(4)-6015061; (1)-6020073
Massage Selectors.....	NO
Air Controls.....	3
Water Management System.....	See Options Below
LED Lighting.....	(2)-20 LED Large Light
Synthetic Cabinet Colours.....	Driftwood, Midnight
Acrylic Colours.....	Silver Marble, Alpine Mist, Pure White
Headrests.....	2
Waterfalls.....	(3)- Swim Life Waterfalls
Electrical Requirements.....	North America (60 Hz): 240 V, 48 AMPs GFCI RATED: 60 AMPs Europe (50 Hz): 230V, 28A or suitably rated circuit breaker to comply with local electrical codes. RCD breakers with MC.
Warranty.....	10/5/3 Year limited
Options/ Special Features.....	<p>1) Fitness and Fun:</p> <ul style="list-style-type: none"> • Aqua Rowing Kit • SL Aquastrength Fitness Kit • 24" Stainless Steel Exercise Bar • 48" Stainless Steel Exercise Bar (Left Side Only) • Form Goggles <p>2) Covers:</p> <ul style="list-style-type: none"> • Safety Insulating Cover • Summer Cover with Tie Downs • Bi-Fold Cover Option • Delete Entire Safety Insulating cover • Rollaway Cover + (Need to delete Hardcover) • Bracket for Rollaway Cover • Cover Remover (Standard) • Cover Remover Plus (Hydraulic) <p>3) Hydrotherapy & Swim:</p> <ul style="list-style-type: none"> • Swim fall Waterfall and lighting • Wave Rider Current Control • Galaxy Lighting update <p>4) Water Management:</p> <ul style="list-style-type: none"> • Swim Life Clear Stream Mineral System • EZ- Pure Ozone System (Must Delete Pure Water System) <p>5) Steps:</p> <ul style="list-style-type: none"> • 4 Tier Aqua Step <p>6) Heater Options:</p> <ul style="list-style-type: none"> • Auxiliary Heating System By-pass Loop • Additional Heater (Optional on All Swim Spa) <p>7) Other Popular Upgrades & Options:</p> <ul style="list-style-type: none"> • GFCI • Tether Cord (Optional on All Swim Spa) • Swim Sync System



Massage Selector/Air Control Diagram



(6015061) (6020073) (6020074) (6020075)




(6020076) (6035075) (6035072) (6035073)

ACP- Air controller Pump
BJ- Buoyancy jet

Seat Depth


A = 26.14" (66.39cm)

B = 25.00" (63.50cm)



LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT. TOLERANCE $\pm 1/16''$ (0.158CM)

Dimensions




IMPORTANT! Always measure each swim spa for exact dimensions BEFORE designing its foundational support and/or decking

NOTE:

Dimensional tolerances are as follows due to variations in manufacturing:

Length / Width / Height(s): +/- 3/8"

Height Variance (side to side): +/- 1/4"



Year:	2023
Model:	Swim Life- 14SL Swim Stream Swim Expert
Size:	174" X 93" X 53" / (442 cm X 236 cm X 134 cm)
Series:	Swim Expert
Main Keypad:	IN. K1000 SS Keypad (7005093)
Spa Pack and Heater:	Heater:5.5 KW 240 V (NA) & 4 KW 230V (EU) Controller GECKO IN.YE-6 NA / IN.YE-5 EU
Pump #1:	North America (60 Hz): 2- SP, 3 HP, AMPs – 10.0/3.5 (6505159) Europe (50 Hz): 2- SP, 2.5 HP, AMPs – 8.6/2.8 (6510038)
Pump #2:	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 (6505149) Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7 (6510044)
Pump #3:	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 (6505149) Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7 (6510044)
Circulation Pump:	N/A
Therapy Jets:	4- CLUSTERSTORM JET- TWIN ROTO (6015061) , 5- MINISTORM JET – DIRECTIONAL (6020073) , 4- MINISTORM JET - MULTI-MASSAGE (6020074) , 2- MINISTORM JET – TWIN ROTO (6020075) , 4- MINISTORM JET - PULSE MASSAGE (6020076) , 2- POWERSTORM JET – TWISTER (6035075) ,
Swim Jets:	2- POWERSTREAM (ROUND) JET – (6035072) , 1- POWERSTORM (OVAL) JET – (6035073) , 2- WIDESTREAM SWIM JET – (6035071)
Air Controls:	(3) - Air Control (4525098)
Diverter:	(1) - 2" Water Diverter (4525091)
Filters:	(2) - 50 SQ. FT Skimmer (5530025)